


Instructions: Administration and Handling of Hazardous Drugs (HD)

1 Supplies: Chemo Gown, Chemo gloves x 2 pairs, ChemoLock PORT, ChemoLock INJECTOR, zip-lock bag, primary tubing - **check MAR administration instructions for tubing specifics (.i.e. non-DEHP), may change with each protocol**


2 Don PPE:

- Perform hand hygiene
- Put on first pair of chemo gloves
- Put on chemo gown (blue gown)
- Put on second pair of chemo gloves



3 Drug Administration:

- The Hazardous drug IV piggyback bag will be spiked with secondary tubing and a ChemoLock INJECTOR attached at the end
- Use primary tubing, prime with NS carrier fluid
- Attach the secondary tubing of the HD with ChemoLock INJECTOR to the ChemoLock PORT above the pump by snapping the two together (see pic)
- Back-prime secondary line (remember to open clamps)
- Remove outer layer chemo gloves and place the gloves into the hazardous bag , with clean inner layer gloves, program the pump
- Follow IV medication administration process and independent double-check



4 Doff PPE:

- Remove all PPE following appropriate doffing procedure
- Place PPE into hazardous bag, and then discard the bag into a hazardous bin (black bin in dirty utility room)
- Perform hand hygiene

5 After Infusion:

- Utilize same PPE process as above
- Flush line with 20ml NS carrier fluid at the same rate as the drug administration
- Disconnect IV tubing from patient
- Flush IV access with 10 ml NS
- Take down all tubing, place them into a plastic zip-lock bag, and discard into a hazardous bin

Further Resources