



| Country Demographics <sup>1, 2</sup>                    |            |
|---------------------------------------------------------|------------|
| Total Population (2018) <sup>1</sup>                    | 44,494,502 |
| Urban Population (% of total, 2018) <sup>1</sup>        | 91.9%      |
| Health expenditure per capita (\$US, 2016) <sup>1</sup> | \$955.2    |
| Health expenditure, total (% of GDP, 2016) <sup>1</sup> | 7.5%       |
| Total births (2013) <sup>2</sup>                        | 694,000    |
| Surviving Infants (2013) <sup>2</sup>                   | 687,000    |
| Life expectancy at birth (years, 2017) <sup>1</sup>     | 76.7 years |
| Number of districts (2013) <sup>2</sup>                 | 511        |

| HBsAg Prevalence <sup>3</sup> |      |
|-------------------------------|------|
| Pre-vaccine HBsAg+ (%)        | 0.1% |

| Liver Cancer as Cause of Cancer Death (in Men) <sup>4</sup> |            |
|-------------------------------------------------------------|------------|
| Year: 2018                                                  | Ranking: 8 |

| 2018 Country Comparison in Americas Region (35 Countries) <sup>5</sup> |           |                                            |                                  |                                 |
|------------------------------------------------------------------------|-----------|--------------------------------------------|----------------------------------|---------------------------------|
|                                                                        | Argentina | Number of countries with reported coverage | Highest reported coverage in AMR | Lowest reported coverage in AMR |
| HepB3 <sup>5</sup>                                                     | 86%       | 35                                         | 99% (Cuba, Trinidad and Tobago)  | 55% (Mexico)                    |
| HepB BD <sup>5</sup>                                                   | 82%       | 22                                         | 99% (Cuba)                       | 17% (Saint Lucia)               |

| Hepatitis B Immunization Coverage <sup>5</sup> |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|                                                | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
| HepB3 <sup>5</sup>                             | NR   | NR   | 66%  | 73%  | 81%  | 88%  | 84%  | 85%  | 90%  | 94%  | 94%  | 91%  | 91%  | 94%  | 94%  | 94%  | 92%  | 86%  | 86%  |
| HepB BD <sup>5</sup>                           | NR   | NR   | NR   | NR   | 65%  | 71%  | 72%  | 76%  | 79%  | 81%  | 79%  | 85%  | 88%  | 85%  | 87%  | 84%  | 81%  | 80%  | 82%  |
| DTP3 <sup>5</sup>                              | 83%  | 83%  | 93%  | 96%  | 98%  | 98%  | 91%  | 91%  | 93%  | 94%  | 94%  | 91%  | 91%  | 94%  | 94%  | 94%  | 92%  | 86%  | 86%  |
| BCG <sup>5</sup>                               | 95%  | 92%  | 95%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 99%  | 96%  | 92%  | 95%  | 93%  |



Abbreviations: NA= not applicable; NR= no report; HepB BD= birth dose within 24 hours; HepB3= at least 3 doses of HepB vaccine; HBsAg= HepB surface antigen. Data Compiled by Asian Liver Center at Stanford University 2019: World DataBank: World Development Indicators database<sup>1</sup>, WHO Immunization Summary: A statistical reference containing data through 2013<sup>2</sup>, WHO Public Health Significance, Targets, Strategies: HBV country profiles<sup>3</sup>, Global Cancer Observatory: Cancer Today-IARC<sup>4</sup>, WHO Vaccine-Preventable Diseases: Monitoring System. 2019 global summary WHO-UNICEF estimates<sup>5</sup>